

2001/2006

ALANAP 3

Liquid Herbicide

Contains naptalam. A pre-emergence liquid herbicide for cucumbers, melons, squash and pumpkins. May be used as a post-emergence spray on cucumbers and melons.

AGRICULTURAL

GUARANTEE:

**Naptalam... 240 g/L
(present as sodium salt)**

**REGISTRATION No: 16244
PEST CONTROL PRODUCTS ACT**

**READ LABEL BEFORE USING
Net Contents**

10 Litres

® Registered trade Mark of CROMPTON Co/Cie

CROMPTON CO./CIE

25 Erb Street

Elmira, Ontario

N3B 3A3

☎ 24 Hour Emergency

Phone: (519) 744-3060

DIRECTIONS FOR USE:

PREPARATION OF SOIL: To insure maximum weed control, it is important that the soil be properly prepared so that a thorough uniform covering of the soil surface with ALANAP-3 can be accomplished. Soil clods should be thoroughly broken up and pulverized to give a smooth surface before spraying application and the soil should not be disturbed unless later weed growth makes cultivation necessary.

MIXING: Fill the sprayer tank to one-half its capacity of water, add the required amount of ALANAP-3 and fill remainder of the tank with water. Agitate while mixing and during application. Bypass agitation is sufficient. Use 250-300L of water per hectare.

CROPS AND TIME OF APPLICATION:

ALANAP-3 may be used on cucumbers, melons, squash and pumpkin as a pre-emergence spray (before the crop emerges) up to 48 hours after planting. Do not use on Butternut squash. Some injury may occur to Table Queen squash. Do not apply during adverse growing conditions (very wet and cold weather) as stunting of the crop may result.

ALANAP-3 may be applied on cucumbers and melons (not on squash and pumpkins) as a postemergence spray about one month after the pre-emergence spray when the crop has emerged but before the weeds are up. Do not apply during adverse growing conditions (very wet and cold weather) as stunting of the crop may result. Avoid spray drift to any other crops.

RATES OF APPLICATION:

SOIL TYPE	PRE-EMERGENCE	POST-EMERGENCE
Light soil	11 L/ha	11 L/ha
Medium soil	17 L/ha	17 L/ha
Heavy soil	30 L/ha	22 L/ha

For band spray applications the above dosages should be reduced in proportion to the area being covered.

USE RESTRICTIONS:

1. CAUTION: Do not graze the treated crops or cut for hay; sufficient data are not available to support such use.
2. Do not store at temperatures below freezing. If this material was accidentally stored at freezing temperatures it should be placed in an area with temperatures ranging from 25°C-50°C for some time and agitated well.
3. Some crops such as beets, tomatoes and spinach are sensitive to spray drift. Avoid spray drift to areas planted to such sensitive crops as beets, tomatoes, spinach and others.
4. Do not store near seed or fertilizer.
5. Do not contaminate ponds, streams or other bodies of water,

SAFETY PRECAUTIONS:

1. KEEP OUT OF REACH OF CHILDREN.
2. May be harmful if swallowed.
3. Avoid contact with skin and eyes.

SYMPTOMS OF POISONING:

Excessive fatigue, sweating, thirst or fever. If symptoms of poisoning develop from any type of exposure to naptalam send for a physician or contact a Poison Control Center.

FIRST AID:

IF SWALLOWED: Do NOT induce vomiting. Bring patient to nearest hospital taking this labelled container with you.

IF ON SKIN: Remove contaminated clothing and wash skin with soap and water.

IF IN EYES: Flush with plenty of water for 15 minutes and get medical attention.

STORAGE AND DISPOSAL:

STORAGE: Store product in original container only, away from other pesticides, fertilizer, food or feed. Keep container closed.

DISPOSAL

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the Product on that condition.

Print ID# Q0629B

PRINTED IN CANADA

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))