

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL DAY OR NIGHT 1-800-561-8273 or CHEMTREC 1-800-424-9300

1. CHEMICAL PRODUCT AND COMPANY INFORMATION

MANUFACTURED FOR:

UNITED AGRI PRODUCTS CANADA, INC.
789 Donnybrook Drive • Dorchester, Ontario N0L 1G5

24-Hour Emergency Phone: 1-800-561-8273
Medical Emergencies (Prosar): 1-800-301-7976
Additional Emergency Phone (Canutec): 1-613-996-6666 (Collect)

CHEMICAL IDENTITY: Diazinon: O-O-Diethyl O- (2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate

PRODUCT USE: Insecticide – Group 1B

PCP REG. NO.: 12538

MSDS Number: 12538-08-UAP

MSDS Revisions: All sections revised

Date of Issue: 01/07/08

Supersedes: 01/07/05

2. HAZARDS IDENTIFICATION SUMMARY

KEEP OUT OF REACH OF CHILDREN – CAUTION - POISON – Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye injury. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Do not store near food or feed products. Do not contaminate ornamental fishponds. Do not use in and around homes or other residential areas such as parks, school grounds, or playing fields. For use only by certified users.

This product is gray to beige granules with mild mercaptan (rotten egg) odor.

Warning Statements:

NOTE TO PHYSICIAN: This product contains Diazinon, an organophosphate insecticide that inhibits cholinesterase. Atropine is antidotal and should be given in multiple doses as necessary until the patient is atropinized. In severe cases 2-PAM may be given provided therapy begins within 24 hours of exposure. Monitor serum and RBC cholinesterase. Morphine, theophylline, aminophylline, phenothiazines, reserpine, furosemide, or ethacrynic acid are contraindicated in organophosphate poisonings. Administer intravenous fluids cautiously, if needed, to correct dehydration. Symptoms of cholinesterase inhibition can include headache, dizziness, blurred vision, weakness, nausea, cramps, diarrhea, discomfort in the chest, nervousness, sweating, miosis, tearing, salivation, pulmonary edema, uncontrollable twitches, convulsions, coma, and loss of reflexes and sphincter control.

3. COMPOSITION, INFORMATION ON INGREDIENTS

Chemical Ingredients:	Percentage by Weight:	CAS No.	TLV (Units)
Diazinon	5.00	333-41-5	0.1 mg/m ³ (skin)
Inert Ingredients (contains Crystalline Silica)	95.00	14808-60-7	0.05 mg/m ³

4. FIRST AID MEASURES

- If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
- If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
- If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-301-7976. Have the product label or container with you when calling a poison control center or doctor, or going for treatment.

5. FIRE FIGHTING MEASURES

- FLASH POINT (°F/Test Method):** Does not flash.
- FLAMMABLE LIMITS (LFL & UFL):** Not established.
- EXTINGUISHING MEDIA:** Use medium appropriate to surrounding fire. Dry chemical, carbon dioxide, foam, water spray or fog.
- HAZARDOUS COMBUSTION PRODUCTS:** Thermal decomposition products include, but are not limited to, oxides of sulfur and phosphorus containing compounds. Incomplete combustion may lead to formation of carbon monoxide and other asphyxiants.
- SPECIAL FIRE FIGHTING PROCEDURES:** Wear self-contained breathing apparatus and full protective gear.
- UNUSUAL FIRE AND EXPLOSION HAZARDS:** If water is used to fight fire, contain runoff, using dikes to prevent contamination of water supplies. Do not allow water runoff to enter nearby streams, ponds or lakes.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

For small spills, sweep up and place in an approved chemical container for proper disposal. For large spills, sweep up and place in an approved chemical container for proper disposal. Decontaminate the area with a household bleach and water mixture (1:2) and then absorb the liquid with clay or other absorbent. Flush residual spill area with water. Check local and provincial regulations for proper disposal.

CAUTION: Keep spills and cleaning runoff from flowing onto adjacent land, or into municipal sewers and open bodies of water.

7. HANDLING AND STORAGE

HANDLING: Wash hands after handling, and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE: Store in original container in a cool, dry, well-ventilated area. Store product in an area inaccessible to children and domestic animals. Do not store near fertilizers, herbicides, other insecticides, seeds, food, or feed. Do not contaminate water, food, or feed by storage or disposal.

Personal Protective Equipment: Applicators and other handlers must wear: long sleeved shirt and long pants, waterproof gloves and shoes plus socks. Follow manufacturer's instructions for cleaning and maintaining PPE. If no instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets with requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

RESPIRATORY PROTECTION: Not normally required, if vapors exceed acceptable levels, wear a MSHA/NIOSH approved pesticide respirator with cartridges for pesticide vapors.

EYE PROTECTION: Chemical goggles or shielded safety glasses.

SKIN PROTECTION: Wear protective clothing: long-sleeved shirts and pants, hat, rubber boots with socks. Wear rubber or chemical-resistant gloves.

	OSHA PEL 8 hr TWA	ACGIH TLV-TWA
Diazinon	not listed	0.01 mg/m ³ (Skin) BEI*
Crystalline Silica	30 mg/m ³ % SiO ₂ + 2	0.05 mg/m ³

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOUR: Gray to beige granules with mild mercaptan (rotten egg) odor.

SPECIFIC GRAVITY (Water = 1): 0.72 g/ml

VAPOUR PRESSURE: Not applicable

PERCENT VOLATILE (by volume): Not applicable

BULK DENSITY: 720 kg/m³

BOILING POINT: Not applicable

EVAPORATION RATE: Not applicable

SOLUBILITY: Insoluble

pH: Not applicable

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID: Excessive heat.

INCOMPATIBILITY: None known.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition – aliphatic organophosphates, substituted pyrimidines, and hydrogen cyanide.

HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Oral LD₅₀ (rat): 66 mg/kg (Diazinon technical)

Eye Irritation (rabbit): Slight irritant

Inhalation LC₅₀ (male rat): >3500 mg/L (4 HR) (Diazinon)

Carcinogenic Potential: Diazinon is classified by ACGIH as TLV-A4: Not Classifiable as a Human Carcinogen. Crystalline silica is classified as carcinogenic to humans by IARC; a potential occupational carcinogen by NIOSH; a suspected human carcinogen by ACGIH; and known to be a human carcinogen by NTP.

Acute Dermal LD₅₀ (rabbit): 1800 mg/kg (Diazinon technical)

Skin Irritation (rabbit): Slight irritant

Skin Sensitization (Guinea Pig): Not a sensitizer

12. ECOLOGICAL INFORMATION

Diazinon is highly toxic to birds, fish and other wildlife. Birds, especially waterfowl (ducks or geese), feeding or drinking on treated areas may be killed. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Runoff may be hazardous to aquatic organisms in neighboring areas. Shrimp and crab may be killed at application rates recommended on the product label. Do not apply where fish, shrimp, crab, and other aquatic life are important resources. Do not contaminate water by cleaning equipment or disposal of wash waters.

13. DISPOSAL CONSIDERATIONS

Do not reuse containers for any purpose. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. For disposal, empty container may be returned to the point of purchase (distributor/dealer). Follow provincial instructions for any required additional cleaning of container. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Do not contaminate water, food, or feed by storage or disposal.

14. TRANSPORT INFORMATION

DOT/TDG Shipping Description: RQ ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, UN3077, III (DIAZINON) MARINE POLLUTANT ERG GUIDE 171

IMDG Shipping Description: RQ ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, UN3077, III (DIAZINON) MARINE POLLUTANT ERG GUIDE 171

U.S. Surface Freight Classification: INSECTICIDE OR FUNGICIDE, INSECT OR ANIMAL REPELLENTS, NOI, OTHER THAN POISON (NMFC 102120, CLASS: 77.5)

15. REGULATORY INFORMATION

NFPA & HMIS Hazard Ratings:	NFPA		HMIS
	2 Health	0 Least	2 Health
	0 Flammability	1 Slight	0 Flammability
	0 Instability	2 Moderate	0 Reactivity
		3 High	HI PPE
		4 Severe	

SARA Hazard Notification/Reporting

SARA Title III Hazard Category:	Immediate	<u>Y</u>	Fire	<u>N</u>	Sudden Release of Pressure	<u>N</u>
	Delayed	<u>N</u>	Reactive	<u>N</u>		

Reportable Quantity (RQ) under U.S. CERCLA: Diazinon (CAS: 333-41-5) 1 lb.

SARA, Title III, Section 313: Diazinon (CAS: 333-41-5) 5.0%

RCRA Waste Code: Not listed

CA Proposition 65: Not listed

16. OTHER INFORMATION

MSDS STATUS: All sections revised to 16-section format

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental/ Regulatory Services

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and UNITED AGRI PRODUCTS CANADA, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.