

PRECAUTIONS

1. **KEEP OUT OF REACH OF CHILDREN.**
2. May be harmful if swallowed. Do not take internally.
3. May be fatal if inhaled. Do not inhale dust, vapour or spray mist. May irritate eyes. Avoid contact with eyes, skin and clothing.
4. Wash thoroughly after handling and before eating, drinking or smoking.
5. Wear long-sleeved shirt, long pants, rubber boots, goggles, gloves (rubber, PVC, neoprene or nitrile), hat and a dust/mist filtering respirator during mixing, loading and application. DO NOT re-enter treated areas within 24 hours. If required, individuals may re-enter treated areas within 24 hours for short-term tasks not involving hand labour if at least 4 hours has passed since application and long pants, long-sleeved shirt, hat and chemical-resistant gloves are worn.
6. If clothing becomes contaminated, remove and wash separately from household laundry before reuse.
7. Clean spray equipment thoroughly after use.
8. Do not contaminate domestic or irrigation water, lakes, streams or ponds by the cleaning of equipment or the disposal of wastes.
9. This product is highly toxic to bees exposed to direct treatment or residues on crops. Do not apply or allow Nexter Miticide/Insecticide to drift to crops or weeds on which bees are actively foraging. Do not allow spray to drift towards beehives.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's web site at: www.croplife.ca.

FIRST AID INSTRUCTIONS

IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Call a poison control centre or doctor immediately for treatment advice. IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. IF INHALED Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

The patient should be treated symptomatically.

STORAGE

1. Store in original tightly closed container. Do not expose water-soluble bags to moisture.
2. Do not ship or store near food, feed, seed and fertilizers.
3. Store in cool, dry, locked, well-ventilated area without floor drain.

DISPOSAL

1. Follow provincial instructions for any required cleaning of the container prior to its disposal.
2. Make the empty container unsuitable for further use.
3. Dispose of the container in accordance with provincial requirements.
4. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

NEXTER
MITICIDE/INSECTICIDE
WETTABLE POWDER FORMULATION

For control of mites in apples, cherries (sweet and tart), grapes, pears, strawberries and peach/nectarine orchards, mites as a post-harvest application on raspberries, and pear psylla in pears. Peaches and nectarines are registered in Ontario only.

COMMERCIAL

**READ THE LABEL AND BROCHURE BEFORE USING.
KEEP OUT OF REACH OF CHILDREN.**

GUARANTEE: Pyridaben 75%

REGISTRATION NO.: 25135 **PEST CONTROL PRODUCTS ACT**

Warning, contains the allergen sulfite

**IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY
INVOLVING THIS PRODUCT, CALL DAY OR NIGHT**

1-888-478-0798



WARNING

POISON

**DANGER: FATAL IF INHALED. DO NOT BREATHE DUST, VAPOUR OR SPRAY MIST.
AVOID CONTACT WITH SKIN, EYES OR CLOTHING.**

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS.

NET CONTENTS: 3.0 kg (5 x 0.6 kg)

DO NOT SELL WATER-SOLUBLE BAGS SEPARATELY.

Gowan Company LLC
370 S. Main Street
P.O. Box 5569
Yuma, Arizona 85364 UNITED STATES

NEXTER is a registered trademark of Nissan Chemical Industries Ltd., used under license by Gowan Company LLC.

PRECAUTIONS

1. **KEEP OUT OF REACH OF CHILDREN.**
2. May be harmful if swallowed. Do not take internally.
3. May be fatal if inhaled. Do not inhale dust, vapour or spray mist. May irritate eyes. Avoid contact with eyes, skin and clothing.
4. Wash thoroughly after handling and before eating, drinking or smoking.
5. Wear long-sleeved shirt, long pants, rubber boots, goggles, gloves (rubber, PVC, neoprene or nitrile), hat and a dust/mist filtering respirator during mixing, loading and application. DO NOT re-enter treated areas within 24 hours. If required, individuals may re-enter treated areas within 24 hours for short-term tasks not involving hand labour if at least 4 hours has passed since application and long pants, long-sleeved shirt, hat and chemical-resistant gloves are worn.
6. If clothing becomes contaminated, remove and wash separately from household laundry before reuse.
7. Clean spray equipment thoroughly after use.
8. Do not contaminate domestic or irrigation water, lakes, streams or ponds by the cleaning of equipment or the disposal of wastes.
9. This product is highly toxic to bees exposed to direct treatment or residues on crops. Do not apply or allow Nexter Miticide/Insecticide to drift to crops or weeds on which bees are active foraging. Do not allow spray to drift towards beehives.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's web site at: www.croplife.ca.

FIRST AID

IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Call a poison control centre or doctor immediately for treatment advice. IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. IF INHALED Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

The patient should be treated symptomatically.

STORAGE

1. Store in original tightly closed container. Do not expose water-soluble bags to moisture.
2. Do not ship or store near food, feed, seed and fertilizers.
3. Store in cool, dry, locked, well-ventilated area without floor drain.

DISPOSAL

1. Follow provincial instructions for any required cleaning of the container prior to its disposal.
2. Make the empty container unsuitable for further use.
3. Dispose of the container in accordance with provincial requirements.
4. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

BASF

NEXTER
MITICIDE/INSECTICIDE
ACARICIDE/INSECTICIDE

Pyridaben 75% Wettable Powder
Pyridabène Formulation poudre mouillable

Warning, contains the allergen sulfite
Avertissement, contient l'allergène sulfite

NET CONTENTS : 120 g
CONTENU NET



WARNING
AVERTISSEMENT

POISON
POISON

KEEP OUT OF REACH OF CHILDREN.
GARDER HORS DE LA PORTÉE DES ENFANTS.

NEXTER
MITICIDE/INSECTICIDE
WETTABLE POWDER FORMULATION

For control of mites in apples, cherries (sweet and tart), grapes, pears, strawberries and peach/nectarine orchards, mites as a post-harvest application on raspberries, and pear psylla in pears. Peaches and nectarines are registered in Ontario only.

COMMERCIAL

**READ THE LABEL AND BROCHURE BEFORE USING.
KEEP OUT OF REACH OF CHILDREN.**

GUARANTEE: Pyridaben 75%

REGISTRATION NO.: 25135 **PEST CONTROL PRODUCTS ACT**
Warning, contains the allergen sulfite

**IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY
INVOLVING THIS PRODUCT, CALL DAY OR NIGHT**

1-888-478-0798



WARNING

POISON

**DANGER: FATAL IF INHALED. DO NOT BREATHE DUST, VAPOUR OR SPRAY MIST.
AVOID CONTACT WITH SKIN, EYES OR CLOTHING.**

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS.

NET CONTENTS: 3.0 kg total/box
120-gram water-soluble bag
0.6 kg (5 x 120g)/foil envelope
3.0 kg (5 x 0.6 kg)/box

DO NOT SELL WATER-SOLUBLE BAGS SEPARATELY.

Gowan Company LLC
370 S. Main Street
P.O. Box 5569
Yuma, Arizona 85364 UNITED STATES

NEXTER is a registered trademark of Nissan Chemical Industries Ltd., used under license by Gowan Company LLC.

GENERAL INFORMATION

This box contains Nexter Miticide/Insecticide, a 75% wettable powder, in water-soluble bags to control mite pests, including European red mite, apple rust mite, McDaniel spider mite, pear rust mite and two-spotted spider mite, when used at recommended rates.

Nexter Miticide/Insecticide works primarily through contact action, so good spray coverage is necessary.

Nexter Miticide/Insecticide provides excellent knockdown and residual control.

DIRECTIONS FOR USE

Please refer to and retain this booklet for complete directions. Do not handle PVA bags excessively or expose them to moisture as this may cause breakage. Bags should not become wet prior to adding to the spray tank. Do not handle the bags with wet hands or wet gloves. Always reseal the overwrap foil envelope to protect the remaining unused bags.

Do not remove water-soluble bags from overwrap except to add them directly to the spray tank.

Do not place the PVA bags directly in diesel oils, dormant or summer-spray-type oils. PVA bags are water soluble, not oil soluble.

Grapes

Apply to grapes when immature motile stages are present for best control.

Pears

Apply when pear psylla numbers reach significant levels. Second application to pears for mites and pear psylla can be made 30 days after the first application.

Raspberries

Apply to raspberries after harvest when mites appear.

The use of Nexter Miticide/Insecticide is compatible with the goal of preservation of predatory mites. This product is easiest on predatory mites when applied late spring to early summer before numbers of beneficial mites have peaked. Nexter Miticide/Insecticide is harmful to certain other beneficials (i.e. beneficial insects).

Nexter Miticide/Insecticide

NEXTER Miticide/Insecticide

RECOMMENDED APPLICATION RATES

Table 1. Nexter Miticide/Insecticide Application Rate Table

Mites Controlled	Rate per hectare*
European Red Mite (<i>Panonychus ulmi</i>) Apple Rust Mite (<i>Aculus schlechtendali</i>) Pear Rust Mite (<i>Epirimerus pyri</i>)	300 grams (2.5 bags)
Two-spotted Spider Mite (<i>Tetranychus urticae</i>) McDaniel Spider Mite (<i>Tetranychus mcdanieli</i>)	300** or 600 grams*** (2.5 or 5 bags)
Pear Psylla (<i>Cacopsylla pyricola</i>)	600 - 720 grams (5 - 6 bags)

* Based on water volume (3000 L/ha).

** Good control will be achieved at or below the mite action threshold.

*** For faster knockdown and control above mite action thresholds late season.

NOTE: Nexter Miticide/Insecticide controls nymph and larva stage of two-spotted spider and McDaniel mites and all motile stages of European red, apple rust mite and pear rust mite. This product is not an ovicide.

If product is applied as a concentrate spray, do not apply at rates less than 200 g/ha for European red, apple rust mite, pear rust mite, two-spotted and McDaniel spider mite or 400 g for two-spotted and McDaniel spider mite above action threshold level.

Do not use less than 1000 L/ha water volume. For foliar application using ground application equipment only.

Crop Recommendation Table

Crop	Application to Harvest Interval (Days)	Maximum Number of Applications/ Year	Maximum Product Used (kg/ha)/ Year on the Same Orchard
Apples	25	2	1.2
Cherries (sweet and tart)*	7	1	0.6
Grapes	25	1	0.6
Peaches/Nectarines (Ontario only)	14	1	0.6
Pears	25	2	1.44
Raspberries: Post-harvest application only	N/A	2	1.2
Strawberries	10	2	1.2

*For optimal control, apply product in sufficient water for good leaf coverage (3000 L/ha).

TIMING

NEXTER Miticide/Insecticide

should be applied when populations are building and before serious crop injury occurs. Consult provincial guidelines and local extension experts for treatment threshold and advice. Mites cause the most economic damage one week to one month following bloom.

Nexter Miticide/Insecticide provides excellent knockdown and residual control. A good performance evaluation can be made 7-10 days after treatment.

RESISTANCE-MANAGEMENT RECOMMENDATIONS

For resistance management, please note that Nexter Miticide/Insecticide contains a Group 21 insecticide/acaricide. Any insect/mite population may contain individuals naturally resistant to Nexter Miticide/Insecticide and other Group 21 insecticides/acaricides. The resistant individuals may dominate the insect/mite population if this group of insecticides/acaricides is used repeatedly in the same fields. Other resistance mechanisms that are not linked to site of action but are specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance:

- Where possible, rotate the use of Nexter Miticide/Insecticide or other Group 21 insecticides/acaricides with different groups that control the same pests in a field.
- Use tank mixtures with insecticides/acaricides from a different group when such use is permitted.
- Insecticide/acaricide use should be based on an IPM program that includes scouting, record keeping, and considers cultural, biological and other chemical control practices.

- Monitor treated pest populations for resistance development.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance, contact BASF at 1-877-371-2273.

MIXING

1. Fill the spray tank one-half full of water and start agitation.
2. Add the required number of water-soluble bags to the tank.
3. Continue agitation while filling tank to the desired spray volume.
4. Allow the bags to completely dissolve before spraying.
5. Dilute Nexter Miticide/Insecticide enough water to provide thorough spray coverage. If foaming occurs, an anti-foaming agent may be used.

NOTE: Do not attempt to use the PVA bags directly in diesel, oils or summer-type oils as in ULV or LV use. PVA bags are water-soluble, not oil-soluble.

TANK MIXING

Physical incompatibility, reduced pest control or crop injury may result from mixing Nexter Miticide/Insecticide with other pesticides (fungicides, herbicides, insecticides, or miticides), additives, or fertilizers. BASF does not offer any recommendations for tank mixing Nexter Miticide/Insecticide with any other products.

RESTRICTIONS AND LIMITATIONS

Do not use products that contain boron because boron will prevent the water-soluble bags from dissolving. If boron-containing products have been used in previous applications, thoroughly wash the spray tank according to the recommended tank cleaning methods.

Do not apply this product through any type of irrigation system.

DO NOT APPLY THIS PRODUCT BY AIR.

Do not apply directly to aquatic systems. Aquatic systems include all permanent lentic (standing) and lotic (flowing) water bodies. This product is toxic to aquatic invertebrates, fish and aquatic plants. To mitigate impact on these organisms, a minimum buffer zone width of 49 m from aquatic systems should be observed with applications with air-blast sprayers.

PRECAUTIONS

1. **KEEP OUT OF REACH OF CHILDREN.**
2. May be harmful if swallowed. Do not take internally.
3. May be fatal if inhaled. Do not inhale dust, vapour or spray mist. May irritate eyes. Avoid contact with eyes, skin and clothing.
4. Wash thoroughly after handling and before eating, drinking or smoking.
5. Wear long-sleeved shirt, long pants, rubber boots, goggles, gloves (rubber, PVC, neoprene or nitrile), hat and a dust/mist filtering respirator during mixing, loading and application. DO NOT re-enter treated areas within 24 hours. If required, individuals may re-enter treated areas within 24 hours for short-term tasks not involving hand labour if at least 4 hours has passed since application and long pants, long-sleeved shirt, hat and chemical-resistant gloves are worn.
6. If clothing becomes contaminated, remove and wash separately from household laundry before reuse.
7. Clean spray equipment thoroughly after use.
8. Do not contaminate domestic or irrigation water, lakes, streams or ponds by the cleaning of equipment or the disposal of wastes.
9. This product is highly toxic to bees exposed to direct treatment or residues on crops. Do not apply or allow Nexter Miticide/Insecticide to drift to crops or weeds on which bees are actively foraging. Do not allow spray to drift towards beehives.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's web site at: www.croplife.ca.

FIRST AID

IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Call a poison control centre or doctor immediately for treatment advice. IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. IF INHALED Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

The patient should be treated symptomatically.

STORAGE

1. Store in original tightly closed container. Do not expose water-soluble bags to moisture.
2. Do not ship or store near food, feed, seed and fertilizers.
3. Store in cool, dry, locked, well-ventilated area without floor drain.

DISPOSAL

1. Follow provincial instructions for any required cleaning of the container prior to its disposal.
2. Make the empty container unsuitable for further use.
3. Dispose of the container in accordance with provincial requirements.
4. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

((Supplemental Label)) NEXTER

MITICIDE/INSECTICIDE

WETTABLE POWDER FORMULATION

For control of mites in apples, grapes, pears, strawberries and peach/nectarine orchards, mites as a post-harvest application on raspberries, and pear psylla in pears. Peaches and nectarines are registered in Ontario only.

COMMERCIAL

**READ THE LABEL AND BROCHURE BEFORE USING.
KEEP OUT OF REACH OF CHILDREN.**

GUARANTEE:

Pyridaben 75%

**REGISTRATION NO.: 25135
PEST CONTROL PRODUCTS ACT**

**IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY
INVOLVING THIS PRODUCT, CALL DAY OR NIGHT
1-888-478-0798**

WARNING POISON

**DANGER: FATAL IF INHALED. DO NOT BREATHE DUST, VAPOUR OR
SPRAY MIST. AVOID CONTACT WITH SKIN, EYES OR CLOTHING.**

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS.

NET CONTENTS:

3.0 kg total/box
120-gram water-soluble bag
0.6 kg (5 x 120g)/ foil envelope
3.0 kg (5 x 0.6 kg)/box

DO NOT SELL WATER-SOLUBLE BAGS SEPARATELY.

Gowan Company LLC
370 S. Main Street
P.O. Box 5569
Yuma, Arizona 85364
UNITED STATES

NEXTER is a registered trademark of Nissan Chemical Industries Ltd., used under license by Gowan Company LLC.

GENERAL INFORMATION:

This box contains **Nexter Miticide/Insecticide**, a 75% wettable powder, in water-soluble bags to control mite pests, including European red mite, apple rust mite, McDaniel spider mite, pear rust mite and two-spotted spider mite, when used at recommended rates.

NEXTER Miticide/Insecticide

works primarily through contact action, so good spray coverage is necessary.

NEXTER Miticide/Insecticide

provides excellent knockdown and residual control.

DIRECTIONS FOR USE:

Please refer and retain this booklet for complete directions. Do not handle PVA bags excessively or expose them to moisture as this may cause breakage. Bags should not become wet prior to adding to the spray tank. Do not handle the bags with wet hands or wet gloves. Always reseal the overwrap foil envelope to protect the remaining unused bags.

Do not remove water-soluble bags from overwrap except to add them directly to the spray tank.

Do not place the PVA bags directly in diesel oils, dormant or summer-spray-type oils. PVA bags are water soluble, not oil soluble.

RECOMMENDED APPLICATION RATES:

Table 1. NEXTER Miticide/Insecticide Application Rate Table

Mites Controlled	Rate per hectare*
------------------	-------------------

European Red Mite (Panonychus ulmi) Apple Rust Mite (Aculus schlechtendali) Pear Rust Mite (Epirimerus pyri)	300 grams (2.5 bags)
Two-spotted Spider Mite (Tetranychus urticae) McDaniel Spider Mite (Tetranychus mcdanieli)	300** or 600 grams*** (2.5 or 5 bags)
Pear Psylla (Cacopsylla pyricola)	600 - 720 grams (5 - 6 bags)

* Based on water volume (3000 L/ha).

** Good control will be achieved at or below the mite action threshold.

*** For faster knockdown and control above mite action thresholds late season.

NOTE: **Nexter Miticide/Insecticide** controls nymph and larva stage of two-spottedspider and McDaniel mites and all motile stages of European red, apple rust mite and pear rust mite. This product is not an ovicide.

If product is applied as a concentrate spray, do not apply at rates less than 200 g/ha for European red, apple rust mite, pear rust mite, two-spotted and McDaniel spider mite or 400 g for two-spotted and McDaniel spider mite above action threshold level.

Do not use less than 1000 L/ha water volume.

Crop Recommendation Table

Crop	Application to Harvest Interval (Days)	Maximum Number of Applications/Year	Maximum Product Used (kg/ha)/Year on the Same Orchard
Apples	25	2	1.2
Grapes	25	1	0.6

Peaches/ Nectarines (Ontario only)	14	1	0.6
Pears	25	2	1.44
Raspberries - Post-harvest application only	N/A	2	1.2
Strawberries	10	2	1.2

TIMING:

Nexter Miticide/Insecticide should be applied when populations are building and before serious crop injury occurs. Mites cause the most economic damage one week to one month following bloom. Nexter Miticide/Insecticide provides excellent knockdown and residual control. A good performance evaluation can be made 7-10 days after treatment.

Grapes:

Apply to grapes when immature motile stages are present for best control.

Pears:

Apply when pear psylla numbers reach significant levels. Second application to pears for mites and pear psylla can be made 30 days after the first application.

Raspberries:

Apply to raspberries after harvest when mites appear.

The use of Nexter Miticide/Insecticide is compatible with the goal of preservation of predatory mites. This product is easiest on predatory mites when applied late spring to early summer before numbers of beneficial mites have peaked. **Nexter Miticide/Insecticide** is harmful to certain other beneficials (i.e. beneficial insects).

RESISTANCE MANAGEMENT:

Repeated exclusive use of an acaricide has been documented to result in the build-up of resistant strains of mites. To reduce the potential of obtaining a population of acaricide-resistant mites, the grower should alternate products of differing modes of action. Nexter Miticide/Insecticide should be used alternately with other acaricides as part of a mite-management

program to minimize the chance of resistance occurring. Consult your local or provincial extension personnel for advice on alternative acaricide use and selection.

MIXING:

1. Fill the spray tank one-half full of water and start agitation.
2. Add the required number of water-soluble bags to the tank.
3. Continue agitation while filling tank to the desired spray volume.
4. Allow the bags to completely dissolve before spraying.
5. Dilute Nexter Miticide/Insecticide in enough water to provide thorough spray coverage. If foaming occurs, an anti-foaming agent maybe used.

NOTE: Do not attempt to use the PVA bags directly in diesel, oils or summer-type oils as in ULV or LV use. PVA bags are water-soluble, not oil-soluble.

TANK MIXING:

Physical incompatibility, reduced pest control or crop injury may result from mixing Nexter Miticide/Insecticide with other pesticides (fungicides, herbicides, insecticides, or miticides), additives, or fertilizers. BASF does not offer any recommendations for tank mixing Nexter Miticide/Insecticide with any other products.

RESTRICTIONS AND LIMITATIONS:

Do not use products that contain boron because boron will prevent the water-soluble bags from dissolving. If boron-containing products have been used in previous applications, thoroughly wash the spray tank according to the recommended tank cleaning methods.

Do not apply this product through any type of irrigation system.

Do not apply this product by air.

Do not apply directly to aquatic systems. Aquatic systems include all permanent lentic (standing) and lotic (flowing) water bodies. This product is toxic to aquatic invertebrates, fish, and aquatic plants. To mitigate impact on these

organisms, a minimum buffer zone width of 49 m from aquatic systems should be observed with applications with air-blast sprayers.

PRECAUTIONS:

1. **KEEP OUT OF REACH OF CHILDREN.**
2. May be harmful if swallowed. Do not take internally.
3. May be fatal if inhaled. Do not inhale dust, vapour or spray mist. May irritate eyes. Avoid contact with eyes, skin and clothing.
4. Wash thoroughly after handling and before eating, drinking or smoking.
5. Wear long-sleeved shirt, long pants, rubber boots, goggles, gloves (rubber, PVC, neoprene or nitrile), hat and a dust/mist filtering respirator during mixing, loading and application. DO NOT re-enter treated areas within 24 hours. If required, individuals may re-enter treated areas within 24 hours for short-term tasks not involving hand labour if at least 4 hours has passed since application and long pants, long-sleeved shirt, hat and chemical-resistant gloves are worn.
6. If clothing becomes contaminated, remove and wash separately from household laundry before reuse.
7. Clean spray equipment thoroughly after use.
8. Do not contaminate domestic or irrigation water, lakes, streams or ponds by the cleaning of equipment or the disposal of wastes.
9. This product is highly toxic to bees exposed to direct treatment or residues on crops. Do not apply or allow **Nexter Miticide/Insecticide** to drift to crops or weeds on which bees are actively foraging. Do not allow spray to drift towards beehives.

FIRST AID:

IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Call a poison control centre or doctor immediately for treatment advice. IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. IF INHALED Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

The patient should be treated symptomatically.

STORAGE:

1. Store in original tightly closed container. Do not expose water-soluble bags to moisture.
2. Do not ship or store near food, feed, seed and fertilizers.
3. Store in cool, dry, locked, well-ventilated area without floor drain.

DISPOSAL:

1. Follow provincial instructions for any required cleaning of the container prior to its disposal.
 2. Make the empty container unsuitable for further use.
 3. Dispose of the container in accordance with provincial requirements.
 4. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.
-

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

15-APR-2005

GROUP	21	INSECTICIDE
-------	----	-------------

NEXTER

MITICIDE/INSECTICIDE
WETTABLE POWDER FORMULATION

Supplemental Label

For control of mites in cherries (sweet and tart).

COMMERCIAL

**READ THE LABEL AND BROCHURE BEFORE USING.
KEEP OUT OF REACH OF CHILDREN.**

GUARANTEE: Pyridaben 75%

REGISTRATION NO.: 25135 **PEST CONTROL PRODUCTS ACT**

**IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY
INVOLVING THIS PRODUCT, CALL DAY OR NIGHT**



WARNING

POISON

**DANGER: FATAL IF INHALED. DO NOT BREATHE DUST, VAPOUR OR SPRAY
MIST. AVOID CONTACT WITH SKIN, EYES OR CLOTHING.**

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS.

NET CONTENTS: 3.0 kg total/box
120-gram water-soluble bag
0.6 kg (5 x 120g)/foil envelope
3.0 kg (5 x 0.6 kg)/box

DO NOT SELL WATER-SOLUBLE BAGS SEPARATELY.

GENERAL INFORMATION

This box contains Nexter Miticide/Insecticide, a 75% wettable powder, in water-soluble bags to control mite pests, including European red mite, McDaniel spider mite and two-spotted spider mite, when used at recommended rates.

NEXTER Miticide/Insecticide

works primarily through contact action, so good spray coverage is necessary.

NEXTER Miticide/Insecticide provides excellent knockdown and residual control.

DIRECTIONS FOR USE

Please refer to and retain this booklet for complete directions. Do not handle PVA bags excessively or expose them to moisture as this may cause breakage. Bags should not become wet prior to adding to the spray tank. Do not handle the bags with wet hands or wet gloves. Always reseal the overwrap foil envelope to protect the remaining unused bags.

Do not remove water-soluble bags from overwrap except to add them directly to the spray tank.

Do not place the PVA bags directly in diesel oils, dormant or summer-spray-type oils. PVA bags are water soluble, not oil soluble.

RECOMMENDED APPLICATION RATES

Table 1. NEXTER Miticide/Insecticide **Application Rate Table**

Mites Controlled	Rate per hectare*
European Red Mite (<i>Panonychus ulmi</i>)	300 grams (2.5 bags)
Two-spotted Spider Mite (<i>Tetranychus urticae</i>) McDaniel Spider Mite (<i>Tetranychus mcdanieli</i>)	300** or 600 grams*** (2.5 or 5 bags)

* Based on water volume (3000 L/ha).

** Good control will be achieved at or below the mite action threshold.

*** For faster knockdown and control above mite action thresholds late season.

NOTE: Nexter Miticide/Insecticide controls nymph and larva stage of two-spotted spider and McDaniel mites and all motile stages of European red mite. This product is not an ovicide.

If product is applied as a concentrate spray, do not apply at rates less than 200 g/ha for European red, two-spotted and McDaniel spider mite or 400 g for two-spotted and McDaniel spider mite above action threshold level.

Do not use less than 1000 L/ha water volume. For optimal control, apply product in sufficient water for good leaf coverage (3000 L/ha).

For foliar application using ground application equipment only.

Crop Recommendation Table

Crop	Application to Harvest Interval (Days)	Maximum Number of Applications/ Year	Maximum Product Used (kg/ha)/ Year on the Same Orchard
Cherries (sweet and tart)	7	1	0.600

TIMING

Nexter Miticide/Insecticide should be applied when populations are building and before serious crop injury occurs. Consult provincial guidelines and local extension experts for treatment threshold and advice. Mites cause the most economic damage one week to one month following bloom. Nexter Miticide/Insecticide provides excellent knockdown and residual control. good performance evaluation can be made 7-10 days after treatment.

The use of Nexter Miticide/Insecticide is compatible with the goal of preservation of predatory mites. This product is easiest on predatory mites when applied late spring to early summer before numbers of beneficial mites have peaked. Nexter Miticide/Insecticide is harmful to certain other beneficials (i.e. beneficial insects).

RESTRICTIONS AND LIMITATIONS

Do not use products that contain boron because boron will prevent the water-soluble bags from dissolving. If boron-containing products have been used in previous applications, thoroughly wash the spray tank according to the recommended tank cleaning methods.

Do not apply this product through any type of irrigation system.

DO NOT APPLY THIS PRODUCT BY AIR.

Do not apply directly to aquatic systems. Aquatic systems include all permanent lentic (standing) and lotic (flowing) water bodies. This product is toxic to aquatic invertebrates, fish and aquatic plants. To mitigate impact on these organisms, a minimum buffer zone width of 49 m from aquatic systems should be observed with applications with air-blast sprayers.

PRECAUTIONS

1. **KEEP OUT OF REACH OF CHILDREN.**
2. May be harmful if swallowed. Do not take internally.
3. May be fatal if inhaled. Do not inhale dust, vapour or spray mist. May irritate eyes. Avoid contact with eyes, skin and clothing.
4. Wash thoroughly after handling and before eating, drinking or smoking.
5. Wear long-sleeved shirt, long pants, rubber boots, goggles, gloves (rubber, PVC, neoprene or nitrile), hat and a dust/mist filtering respirator during mixing, loading and application. DO NOT re-enter treated areas within 24 hours. If required, individuals may re-enter treated areas within 24 hours for short-term tasks not involving hand labour if at least 4 hours has passed since application and long pants, long-sleeved shirt, hat and chemical-resistant gloves are worn.
6. If clothing becomes contaminated, remove and wash separately from household laundry before reuse.
7. Clean spray equipment thoroughly after use.
8. Do not contaminate domestic or irrigation water, lakes, streams or ponds by the cleaning of equipment or the disposal of wastes.
9. This product is highly toxic to bees exposed to direct treatment or residues on crops. Do not apply or allow Nexter Miticide/Insecticide to drift to crops or weeds on which bees are actively foraging. Do not allow spray to drift towards beehives.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's web site at: www.croplife.ca.

FIRST AID

IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Call a poison control centre or doctor immediately for treatment advice. IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. IF INHALED Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

The patient should be treated symptomatically.

STORAGE

1. Store in original tightly closed container. Do not expose water-soluble bags to moisture.
2. Do not ship or store near food, feed, seed and fertilizers.
3. Store in cool, dry, locked, well-ventilated area without floor drain.

DISPOSAL

1. Follow provincial instructions for any required cleaning of the container prior to its disposal.
2. Make the empty container unsuitable for further use.
3. Dispose of the container in accordance with provincial requirements.
4. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.