

Potato ST 16%

SEED TREATMENT

Potato ST 16% delivers superior control of Fusarium seed piece decay in a convenient, easy-to-use formulation. Potato ST 16% uses a Talc/Aldbark formulated blend to control moisture and to provide the required coverage of seed potatoes – to prevent seed piece decay and to provide improved seedling emergence.

TARGET PESTS: Fusarium seed piece decay.

CROPS: Potato seed pieces.

RATE: 500 g/100 Kg potato seed pieces.

ACTIVITY: A protective fungicide that controls fusarium seed piece decay. Works through contact.

TIMING: Apply thoroughly to coat the surfaces of the whole potato or cut seed pieces. If cutting treated seed pieces, make a second application to protect the cut surface. Plant seed pieces as soon as possible after treating. Store in well-ventilated location to permit the surface of the seed pieces to dry if not planting right away.

CAUTION: Do not use surplus-treated seed as food or feed. Treated seed should be labeled "Poisonous to man and animals. This seed has been treated with mancozeb for control of fusarium decay. Do not use for food or feed". Always follow label directions before using any crop protection product.

ACTIVE INGREDIENT: 16% mancozeb.

RESIDUAL CONTROL: Potato ST 16% has residual control on cut-seed piece surfaces.

PACKAGE SIZES: 20 Kg.

ADDITIONAL: Do not allow product to become wet or overheated in storage. Keep away from sparks or fire.



West: 1-800-561-5444 Ontario: 1-800-265-4624 Quebec & Maritimes: 1-800-361-9369