

23-NOV-2007
2007-6606

Back

SUPER SPREADER ADJUVANT

COMMERCIAL

**READ THE LABEL AND ATTACHED BROCHURE
BEFORE USING**

**REGISTRATION NO. 17402
PEST CONTROL PRODUCTS ACT**

GUARANTEE: Octylphenoxypolyethoxy ethanol 50%

**United Agri Products Canada Inc.
789 Donnybrook Drive
Dorchester, Ontario N0L 1G5
1-800-265-4624
NET CONTENTS :5L**

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. May be hazardous if swallowed. Avoid contact with eyes. CAUTION: Do not graze the treated crops or cut for hay; there is not sufficient data available to support this use. DO NOT APPLY BY AIR.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's web site at: www.croplife.ca

TOXICOLOGICAL INFORMATION

SUPER SPREADER ADJUVANT is a surfactant. The effects of acute exposure by possible route of entry are: **Skin Contact:** No effects of exposure expected due to contact. Prolonged contact may cause skin irritation or dermatitis in some individuals. **Eye:** Causes painful stinging or burning of eyes and lids, watering of eyes, conjunctivitis, opaqueness of cornea, possibly leading to loss of sight.

Inhalation: If misted, may cause sneezing, slight irritation of nose and throat.

Ingestion: May cause nausea and vomiting.

Notes to Physician: This product contains Diethylene Glycol. Activated charcoal mixture may be administered. To prepare activated charcoal mixture, suspend 50 grams activated charcoal in 400 mL water and mix thoroughly. Administer 5 mL/kg, or 350 mL for an average adult. Treat symptomatically.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

INGESTION: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

INHALATION: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

DISPOSAL

1. Triple – or pressure - rinse the empty container. Add the rinsing to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Datapak

SUPER SPREADER ADJUVANT

COMMERCIAL

**READ THE LABEL AND ATTACHED BROCHURE
BEFORE USING**

**REGISTRATION NO. 17402
PEST CONTROL PRODUCTS ACT**

GUARANTEE: Octylphenoxypolyethoxy ethanol 50%

**United Agri Products Canada Inc.
789 Donnybrook Drive
Dorchester, Ontario N0L 1G5
1-800-265-4624**

NET CONTENTS :5L

DIRECTIONS FOR USE

SUPER SPREADER ADJUVANT is a nonionic water solution product which enhances the effectiveness of agricultural and non-crop chemicals.

HOW DOES IT WORK? When SUPER SPREADER ADJUVANT is added to the spray mixture, foliage wettability is improved through the formation of a continuous uniform film on leaf surfaces.

SUPER SPREADER ADJUVANT performs well in both hard and soft water.

HOW TO MIX: Fill the spray tank about half-full with water and add the required chemical while the agitator is running or bypass agitation is operating. Complete the filling of the tank with water and finally add SUPER SPREADER ADJUVANT under constant agitation. Refer to specific product labels for more details. Add SUPER SPREADER ADJUVANT to a spray mixture when the use of such an adjuvant is recommended on the label. Follow the chemical label for complete instructions on rate of chemical to use.

Use SUPER SPREADER ADJUVANT as follows:

CHEMICAL PRODUCT	Amount of SUPER SPREADER ADJUVANT per 1000 L of spray solution	REMARKS
ACCENT	2 L	
ALLY	2 L	
ATRAZINE	1.25 L	Use this low rate with soft water.
	2.5 L	Use this rate with hard water.
BASAGRAN	1.25 L	Use this low rate with soft water.
	2.5 L	Use this rate with hard water.
ELIM	2 L	
ESCORT	2 L	
MUSTER	2 L	
PINNACLE	1 L	
PRISM	2 L	
PYRAMIN FL	1.25 L	Use this low rate with soft water.
	2.5 L	Use this rate with hard water.
TELAR	1 L	Also for TELAR plus KROVAR I DF tank mixes.
REFINE	2 L	
REFINE EXTRA	2 L	
REFLEX	1 L	
RELIANCE STS	2 L	
ULTIM	2 L	
UNITY Herbicide Tank Mix	2.5 L	

CROP	WEEDS	RATE	REMARKS
Spring Wheat Including: Hard red spring, Canada Prairie spring, soft white spring and extra strong (utility) wheat	Wild Oats Green Foxtail (wild Millet) Broad Leaf Weeds listed on the 2,4-D ESTER label	EVEREST SOLUPAK 70 DF at 43 g/ha EVEREST SOLUPAK 70 DF at 21.5 g/ha +2,4-D ESTER 600 at 700 mL/ha or 2,4-D ESTER 700 at 600 mL/ha +SUPER +SPREADER ADJUVANT at 2.5 L/1000 L	Follow all directions and precautions on the tank-mix partner labels.
Spring Wheat Including: Hard red spring, Canada Prairie spring, soft white spring and extra strong (utility) wheat	Wild Oats Green Foxtail (wild Millet) Broad Leaf Weeds listed on the TURBOPROP 600 label	EVEREST SOLUPAK 70 DF at 21.5 to 43 g/ha +TURBOPROP 600 at 1.75 L/ha +SUPER SPREADER ADJUVANT at 2.5 L/1000 L	Follow all directions and precautions on the tank-mix partner labels.

STORAGE

SUPER SPREADER ADJUVANT may be stored for a minimum of two years at any temperature without loss of activity. Container must be tightly closed during storage.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. May be hazardous if swallowed. Avoid contact with eyes. CAUTION: Do not graze the treated crops or cut for hay; there is not sufficient data available to support this use. DO NOT APPLY BY AIR.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's web site at: www.croplife.ca

TOXICOLOGICAL INFORMATION

SUPER SPREADER ADJUVANT is a surfactant. The effects of acute exposure by possible route of entry are: **Skin Contact:** No effects of exposure expected due to contact. Prolonged contact may cause skin irritation or dermatitis in some individuals. **Eye:** Causes painful stinging or burning of eyes and lids, watering of eyes, conjunctivitis, opaqueness of cornea, possibly leading to loss of sight. **Inhalation:** If misted, may cause sneezing, slight irritation of nose and throat. **Ingestion:** May cause nausea and vomiting.

Notes to Physician: This product contains Diethylene Glycol. Activated charcoal mixture may be administered. To prepare activated charcoal mixture, suspend 50 grams activated charcoal in 400 mL water and mix thoroughly. Administer 5 mL/kg, or 350 mL for an average adult. Treat symptomatically.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

INGESTION: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

INHALATION: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

DISPOSAL

1. Triple – or pressure - rinse the empty container. Add the rinsing to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

®ACCENT, ALLY, ESCORT, MUSTER, PINNACLE, TELAR, REFINE and REFINE EXTRA, ELIM, PRISM, RELIANCE and ULTIM are registered trademarks of E.I Du Pont Canada Company
REFLEX is a registered trademark of SYNGENTA Crop Protection Canada.
BASAGRAN and PYRAMIN are registered trademarks of BASF Canada Inc..
UNITY is a registered trademark of BAYER CROPSCIENCE.
EVEREST is a registered trademark of Arysta Lifesciences North America Corporation.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.